



ALL-TERRAIN ATF 110G-5




Maße (mm)
 Dimensions (mm)
 Dimensiones (mm)

 16.00 R 25
 (445/95 R 25)



Gewichte / Geschwindigkeiten
Weights / Working speeds
Poids / Vitesses
Pesos / Velocidades de trabajo

	Achse / Axle Essieu / Eje	1	2	3	4	5	Gesamtgewicht / Total weight Poids total / Peso total
	(t)	12	12	12	12	12	60*
	(t)	10.4	10.4	10.4	8.4	8.4	48**

* Incl. 8,7 t Gegengewicht, 9,5 m / 16,2 m Auslegerverlängerung, 25 t Unterflasche, 10 t Hakengeschirr, Antrieb 10 x 8, Bereifung 16.00 R 25 (445/95 R 25).

* Incl. 8,7 t counterweight, 9,5 m / 16,2 m boom extension, 25 t hook block, 10 t swivel hook, drive 10 x 8, tyres 16.00 R 25 (445/95 R 25).

* Incl. de 8,7 t contrepoids, 9,5 m / 16,2 m fléchette, 25 t moufle, 10 t élingues, entraînement 10 x 8, pneus 16.00 R 25 (445/95 R 25).


* Incl. contrapeso de 8,7 t, 9,5 m / 16,2 m plumín, 25 t gancho, 10 t gancho de bola, tracción 10 x 8, neumáticos 16.00 R 25 (445/95 R 25).

** Mit 0 t Gegengewicht, 25 t Unterflasche, Antrieb 10 x 6, Bereifung 14.00 R 25 (385/95 R 25).

** With 0 t counterweight, 25 t hook block, drive 10 x 6, tyres 14.00 R 25 (385/95 R 25).



** Avec 0 t contrepoids, 25 t moufle, entraînement 10 x 6, pneus 14.00 R 25 (385/95 R 25).

** Con contrapeso de 0 t, 25 t gancho, tracción 10 x 6, neumáticos 14.00 R 25 (385/95 R 25).

	Traglast / Lifting capacity / Force de levage / Capacidad de elevación	Rollen / Sheaves Pulies / Poleas	Stränge / Parts of line Brins / Ramales de cable	Gewicht / Weight Poid / Peso
	125 t*	7	15	1200 kg
80 t*	5	11	800 kg	
63 t*	3	7	600 kg	
63 t	3	7	600 kg	
25 t	1	3	300 kg	
10 t	-	1	200 kg	







* Doppelhaken
* Rams horn
* Moufle avec crochet marin
* Gancho doble




	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	R1	R2	
	16.00 (445/95) km/h	3	3	4	4	5	7	8	9	11	14	17	20	24	30	35	42	3	
	6	7	8	10	12	15	18	21	26	31	38	46	56	68	80	85	6	7	47%



* Mit Geländeübersetzung
* Off road range

* Avec mode tout terrain
* Con transmisión todo terreno

	Stufenlos Infinitely variable Progressivement variable Infinitamente variable	Seil Rope Câble Cable	Max. Seilzug Max. single line pull Effort maxi au brin simple Tirio máximo por ramal
	0 - 130 m/min für einfachen Strang single line au brin simple ramal simple	21 mm / 250 m	85 kN
	0 - 130 m/min für einfachen Strang single line au brin simple ramal simple	21 mm / 250 m	85 kN
	0 - 1.7 min ⁻¹		
	-2.0° - +82°	ca. 42 s approx. 42 s env. 42 s aproximadamente 42 s	
	13.0 m - 52.0 m	ca. 320 s approx. 320 s env. 320 s aproximadamente 320 s	

Tragfähigkeiten
Lifting capacities
Capacités de levage
Capacidades de elevación



 m	13.0 m*	13.0 m	17.4 m	21.9 m	26.4 m	30.9 m	35.4 m	39.9 m	44.4 m	48.9 m	52.0 m	
3.0	110.0**	95.0**	80.0	67.0								
3.5	98.9**	87.2	80.0	65.6								
4.0	91.8	80.4	77.6	64.3	50.0							
4.5	86.0	74.6	74.1	60.9	48.9							
5.0	77.8	69.5	69.0	57.4	47.8	36.0						
6.0	64.7	61.0	60.4	51.1	45.7	36.0	28.0					
7.0	55.1	54.2	53.6	47.0	43.3	36.0	28.0	22.0				
8.0	47.8	47.8	47.1	47.0	41.4	35.0	28.0	22.0	18.0			
9.0	42.1	42.1	42.7	42.8	39.6	34.0	26.9	22.0	18.0	14.0		
10.0	37.5	37.5	38.1	38.1	37.6	32.9	25.8	22.0	18.0	14.0	11.5	
11.0			34.3	34.3	35.0	31.9	24.7	21.2	18.0	14.0	11.5	
12.0			31.1	31.1	31.8	30.9	23.6	20.5	18.0	14.0	11.5	
14.0			24.8	25.9	25.9	25.3	21.7	18.9	16.9	14.0	11.5	
16.0				21.2	21.1	20.6	20.6	17.4	15.9	14.0	11.5	
18.0				17.7	17.6	17.1	17.7	15.8	14.9	13.7	11.0	
20.0					15.0	15.5	15.0	14.8	14.4	13.2	10.4	
22.0					12.9	13.4	12.9	13.2	13.1	12.4	9.9	
24.0						11.7	11.2	11.4	11.4	11.0	9.4	
26.0						10.3	9.9	10.0	10.0	9.6	8.8	
28.0						9.1	9.2	9.1	8.8	8.4	8.3	
30.0							8.3	8.1	7.8	7.4	7.4	
32.0							7.4	7.2	6.9	6.5	6.6	
34.0								6.5	6.2	5.8	5.8	
36.0								5.8	5.5	5.1	5.2	
38.0									5.0	4.6	4.6	
40.0									4.4	4.0	4.1	
42.0										3.6	3.6	
44.0										3.2	3.2	
46.0										2.8	2.8	
48.0											2.5	
 %	I	0	0	46/0/0	92/0/0/0	92/46/0/0	92/46/0/0	92/46/0	92/46/0	92/46	92	100
	II	0	0	0/0/0	0/46/0/0	46/46/46/0	46/46/46/0	92/46/46	92/46/92	92/92	92	100
	III	0	0	0/46/0	0/46/46/0	0/46/46/46	46/46/46/92	46/46/92	92/92/92	92/92	92	100
	IV	0	0	0/0/46	0/0/46/92	0/0/46/92	0/46/92/92	0/92/92	0/92/92	46/92	92	100

* Nach hinten / * Over rear / * A l'arrière / * Sobre la parte trasera

** Mit Zusatzhubausrüstung / ** With additional lifting equipment / ** Avec équipement supplémentaire / ** Con equipo adicional